
Printed by EAST

UserID: JLieU

Computer: WS04266

Date: 01/11/2004

Time: 20:08

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	126133	pd or partial adj2 discharge adj4 (sensor or sensing or detector or detecting)	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/01/11 17:54	
2	BRS	L2	33585	(capacitive or capacitively) near4 (couple or coupling or coupled)	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/01/11 17:47	
3	BRS	L4	4054	capacitance with (enhance or enhanced or enhancing or enhanced)	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/01/11 17:45	

	Error Definition	Er ro rs
1		0
2		0
3		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
4	BRS	L5	4	2 same 4 same (insulation or insulating or insulated)	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/01/1 1 17:46	
5	BRS	L7	1	5 and 3	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/01/1 1 17:46	
6	BRS	L6	4	5 and 2	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/01/1 1 17:46	

	Error Definition	Er ro rs
4		0
5		0
6		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	L8	35	1 and 2 same wire	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/01/1 1 17:47	
8	BRS	L9	0	3 and (monitor or monitoring or monitored or determine or determined or determining or test or testing or test) with (condition or integrity or fault) with (wire or cable)	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/01/1 1 17:57	
9	BRS	L3	523	1 and 2	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/01/1 1 17:54	

	Error Definition	Er ro rs
7		0
8		0
9		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	L10	701	partial adj2 discharge adj4 (sensor or sensing or detector or detecting)	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/01/1 1 17:54	
11	BRS	L11	17	10 and 2	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/01/1 1 17:55	
12	BRS	L12	23	10 and (monitor or monitoring or monitored or determine or determined or determining or test or testing or tested or detect or detecting or detected or sense or sensing or sensed) with (condition or integrity or fault) with (wire or cable)	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/01/1 1 20:08	

	Error Definition	Er ro rs
10		0
11		0
12		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
13	BRS	L13	0	10 and (monitor or monitoring or monitored or determine or determined or determining or test or testing or tested or detect or detecting or detected or sense or sensing or sensed) with (condition or integrity or fault) with (wire or cable) and 2	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/01/11 20:08	